

Dentium ORDER FORM

Developed by Clinicians for Clinicians

Doctor: _____ Account No.: _____

Shipping Address _____ State: _____ Zip: _____

Street: _____ City: _____

Billing Address _____ State: _____ Zip: _____

Street: _____ City: _____

E-Mail: _____ Phone: _____

Fax: _____

Order Q'ty	REF	Product Description						Amount
		Diameter		Lengt h	G/H	Hex / N-Hex	Misc	
		Platform	Body					
IMPLANTIUM® IMPLANTS								
	FX3408MLC			8				
	FX3410MLC	Ø3.6	Ø3.4	10				
	FX3412MLC			12				
	FX3414MLC			14				
	FX3808MLC	Ø4.0	Ø3.8	8				
	FX3810MLC			10				
	FX3812MLC			12				
	FX3814MLC			14				
	FX4308MLC	Ø4.5	Ø4.3	8				
	FX4310MLC			10				
	FX4312MLC			12				
	FX4314MLC			14				
	FX4808MLC	Ø5.0	Ø4.8	8				
	FX4810MLC			10				
	FX4812MLC			12				
	FX4814MLC			14				
SUPERLINE™ IMPLANTS								
	FX3608SWC	Ø3.6	Ø3.4	8				
	FX3610SWC			10				
	FX3612SWC			12				
	FX3614SWC	Ø4.0	Ø3.8	8				
	FX4008SWC			10				
	FX4010SWC			12				
	FX4012SWC			14				
	FX4508SWC	Ø4.5	Ø4.3	8				
	FX4510SWC			10				
	FX4512SWC			12				
	FX4514SWC	Ø5.0	Ø4.8	8				
	FX5008SWC			10				
	FX5010SWC			12				
	FX5012SWC			14				
	FX6008SWC	Ø6.0	Ø4.8	8				
	FX6010SWC			10				
	FX6012SWC			12				
	FX6014SWC	Ø7.0	Ø5.8	8				
	FX7008SWC			10				
	FX7010SWC			12				
	FX7012SWC							
COVER SCREWS								
	CS34	Cover Screw For Use with Fixtures [Ø3.4 and Ø3.6]						
	CS38	Cover Screw For Use with Fixtures [Ø3.8 to Ø7.0]						
HEALING ABUTMENTS								
	HAB402020L	Ø4.0		2.0	2.0			
	HAB402035L			3.5				
	HAB403050L			5.0	3.0			
	HAB404070L	Ø4.5		7.0	4.0			
	HAB452020L			2.0	2.0			
	HAB452035L			3.5				
	HAB453050L	Ø5.5		5.0	3.0			
	HAB454070L			7.0	4.0			
	HAB552020L			2.0	2.0			
	HAB552035L	Ø6.5		3.5				
	HAB553050L			5.0	3.0			
	HAB554070L			7.0	4.0			
	HAB652020L	Ø7.5		2.0	2.0			
	HAB652035L			3.5				
	HAB653050L			5.0	3.0			
	HAB654070L	Ø8.5		7.0	4.0			
	HAB753050L			5.0	3.0			
	HAB853050L			7.0	4.0			
	HAB953050L	Ø9.5						

* Legend --- C/S : Cover screw, PØ : PlatformØ, BØ : BodyØ

Sales Rep: _____ Date: _____

% Discount: _____

Shipping: 1Day FedEx 2Day FedEx 3Day FedEx Ground Will Call Other

AM / PV

PLEASE CIRCLE SHIPPING CHOICE

Visa Master Amex

Credit Card: _____ Exp: / _____ Unit : mm>

Order Q'ty	REF	Product Description						Amount
		Description	Diameter	Leng th	G/H	Hex / N-Hex	Misc	
COMBI ABUTMENTS								
	CAB4510L	Combi Abutment	Ø4.5	5.5			1.0	
	CAB4515L						1.5	
	CAB4525L						2.5	
	CAB4535L						3.5	
	CAB4545L						4.5	
	CAB4555L						5.5	
	CAB5515L		Ø5.5	5.5			1.5	
	CAB5525L						2.5	
	CAB5535L						3.5	
	CAB5545L						4.5	
	CAB5555L						5.5	
	CAB6515L				Ø6.5	5.5		
	CAB6525L			2.5				
	CAB6535L			3.5				
	CAB6545L			4.5				
	CAB6555L			5.5				
	CAB4510SL	Combi Abutment Short	Ø4.5	4.0				
	CAB4515SL						1.5	
	CAB4525SL						2.5	
	CAB4535SL						3.5	
	CAB4545SL						4.5	
	CAB4555SL						5.5	
	CAB5515SL		Ø5.5	4.0			1.5	
	CAB5525SL						2.5	
	CAB5535SL						3.5	
	CAB5545SL						4.5	
	CAB5555SL						5.5	
	CAB6515SL				Ø6.5	4.0		
	CAB6525SL			2.5				
	CAB6535SL			3.5				
	CAB6545SL			4.5				
	CAB6555SL			5.5				
	CCC45L(1)	Combi Comfort Cap	Ø4.5	6.7				
	CCC45L(5)						5pcs	
	CCC55L(1)				Ø5.5			1pc
	CCC55L(5)						5pcs	
	CCC65L(1)		Ø6.5					1pc
	CCC65L(5)						5pcs	
	CCC45CS(1)	Combi Comfort Cap Short [Snap On]		Ø4.5	4.8			1pc
	CCC45CS(5)						5pc	
	CCC65CS(1)		Ø5.5					1pc
	CCC65CS(5)						5pc	
	CCC45CS(1)			Ø6.5				1pc
	CCC45CS(5)						5pc	
	CCC55CS(1)	Ø5.5	6.8				1pc	
	CCC55CS(5)					5pc		
	CCC65CS(1)			Ø6.5			1pc	
	CCC65CS(5)					5pc		
	CIC45L(1)	Combi Impression Coping			Ø4.5	10.4		
	CIC45L(5)							5pcs
	CIC55L(1)		Ø5.5					1pc
	CIC55L(5)						5pcs	
	CIC65L(1)			Ø6.5				1pc
	CIC65L(5)						5pcs	
	CBC45SL(1)	Combi Burn-Out Cylinder [Single]	Ø4.5		12.8			1pc
	CBC45SL(5)						5pcs	
	CBC55SL(1)			Ø5.5				1pc
	CBC55SL(5)						5pcs	
	CBC65SL(1)		Ø6.5					1pc
	CBC65SL(5)						5pcs	
	CBC45BL(1)	Combi Burn-Out Cylinder [Bridge]		Ø4.5	12.8			1pc
	CBC45BL(5)						5pcs	
	CBC55BL(1)		Ø5.5					1pc
	CBC55BL(5)						5pcs	
	CBC65BL(1)			Ø6.5				1pc
	CBC65BL(5)						5pcs	

<Unit : mm>

Order Q'ty	REF	Product Description						Amount	
		Description	Diameter	Length	G/H	Hex / N-Hex	Misc		
GOLD DIRECT CASTING ABUTMENTS									
	RAB45GH	Gold Direct Cast Abutment	Ø4.5		1.0	Hex			
	RAB45GN					N-Hex			
DUAL ABUTMENTS									
	DAB4510HL	Dual Abutment	Ø4.5	1.0	Hex				
	DAB4510NL				N-Hex				
	DAB4515HL				Hex				
	DAB4515NL			N-Hex					
	DAB4525HL			Hex					
	DAB4525NL			N-Hex					
	DAB4535HL			Hex					
	DAB4535NL			N-Hex					
	DAB4545HL			Hex					
	DAB4545NL			N-Hex					
	DAB4555HL			Hex					
	DAB4555NL			N-Hex					
	DAB5515HL			Hex					
	DAB5515NL			N-Hex					
	DAB5525HL			Hex					
	DAB5525NL		N-Hex						
	DAB5535HL		Hex						
	DAB5535NL		N-Hex						
	DAB5545HL		Hex						
	DAB5545NL		N-Hex						
	DAB5555HL		Hex						
	DAB5555NL		N-Hex						
	DAB6515HL		Hex						
	DAB6515NL		N-Hex						
	DAB6525HL		Hex						
	DAB6525NL		N-Hex						
	DAB6535HL		Hex						
	DAB6535NL		N-Hex						
	DAB6545HL		Hex						
	DAB6545NL		N-Hex						
	DAB6555HL	Hex							
	DAB6555NL	N-Hex							
	DAB6515HL	Hex							
	DAB6515NL	N-Hex							
	DAB6525HL	Hex							
	DAB6525NL	N-Hex							
	DAB6535HL	Hex							
	DAB6535NL	N-Hex							
	DAB6545HL	Hex							
	DAB6545NL	N-Hex							
	DAB6555HL	Hex							
	DAB6555NL	N-Hex							
DUAL MILLING ABUTMENTS									
	DAB40105HL	Dual Milling Abutment	Ø4.0	1.5	Hex				
	DAB40105NL				N-Hex				
	DAB45156HL			Ø4.5	2.0	Hex			
	DAB45156NL		N-Hex						
	DAB55207HL		Ø5.5		2.0	Hex			
	DAB55207NL			N-Hex					
	DAB55307HL			Ø5.5	3.0	Hex			
	DAB55307NL		N-Hex						
	DAB65258HL		Ø6.5		2.5	Hex			
	DAB65258NL			N-Hex					
	DAB65408HL			Ø6.5	4.0	Hex			
	DAB65408NL		N-Hex						
ANGLED ABUTMENTS									
	AAB154520HL		Angled Abutment [15°]	Ø4.5	2.0	Hex			
	AAB154520NL					N-Hex			
	AAB154540HL				4.0	Hex			
	AAB154540NL						N-Hex		
	AAB155520HL				Ø5.5	2.0	Hex		
	AAB155520NL	N-Hex							
	AAB155540HL	4.0		Hex					
	AAB155540NL				N-Hex				
	AAB254510HL	Angled Abutment [25°]		Ø4.5	1.0	Hex			
	AAB254510NL					N-Hex			
	AAB254520HL				2.0	Hex			
	AAB254520NL						N-Hex		
	AAB254540HL		4.0		Hex				
	AAB254540NL					N-Hex			
	AAB255510HL		Ø5.5	1.0	Hex				
	AAB255510NL				N-Hex				
	AAB255520HL		2.0	Hex					
	AAB255520NL				N-Hex				
	AAB255540HL		4.0	Hex					
	AAB255540NL				N-Hex				

Order Q'ty	REF	Product Description						Amount					
		Description	Diameter	Length	G/H	Hex / N-Hex	Misc						
TEMPORARY ABUTMENTS													
	RAB45TH	Titanium Temp Abutment	Ø4.5		1.0	Hex							
	RAB45TN					N-Hex							
	RAB45PNL	Plastic Temp Abutment	Ø4.5	3.0	N-Hex								
	RAB55PNL					Ø5.5							
	RAB65PNL					Ø6.5							
SCREW ABUTMENTS													
	SAB4510L	Screw Abutment	Ø4.5	1.0									
	SAB4515L				1.5								
	SAB4525L				2.5								
	SAB4535L				3.5								
	SAB4545L				4.5								
	SAB4555L			5.5									
	SAB5515L			Ø5.5	1.5								
	SAB5525L					2.5							
	SAB5535L					3.5							
	SAB5545L					4.5							
	SAB5555L					5.5							
	SCC45L(1)			Screw Comfort Cap	Ø4.5				1pc				
	SCC45L(5)								5pcs				
	SCC55L(1)								Ø5.5				1pc
	SCC55L(5)												5pcs
	SPP45L	Polishing Protector	Ø4.5										
	SPP55L		Ø5.5										
	SGC45SL	Screw Gold Cylinder	Ø4.5				Hex						
	SGC45BL						N-Hex						
	SGC55SL						Ø5.5				Hex		
	SGC55BL	N-Hex											
	STC45SL	Screw Tit-Temp Cylinder	Ø4.5				Hex						
	STC45BL						N-Hex						
	STC55SL						Ø5.5				Hex		
	STC55BL										N-Hex		
	SBC45SL										Ø4.5		
	SBC45BL	N-Hex											
	SBC55SL	Ø5.5				Hex							
	SBC55BL					N-Hex							
BALL ABUTMENTS													
	BAB350018	Ball Abutment	Ø3.5				0						
	BAB351018						1.0						
	BAB352018						2.0						
	BAB353018						3.0						
	BAB354018						4.0						
	BAB355018						5.0						
	ICA	Ball Impression Coping											
	BIC3L	Socket Spacer											
	BPF3	Female Socket											
	BNO1	Mini O-ring											
IMPRESSIONS (PICK-UP TYPE)													
	DPU4011HL	Dual Impression Coping [Pick-up]	Ø4.0	17									
	DPU4011NL						21						
	DPU4015HL												
	DPU4015NL						Ø4.5	17					
	DPU4511HL												
	DPU4511NL						21						
	DPU4515HL												
	DPU4515NL			Ø5.5	17								
	DPU5511HL												
	DPU5511NL								21				
	DPU5515HL												
	DPU5515NL								Ø6.5	17			
	DPU6511HL												
	DPU6511NL			21									
	DPU6515HL												
	DPU6515NL												
	DPS11			Impression Coping Screw					23				
	DPS15			[Pick-up]					27				

* Legend --- Tit Temp : Titanium Temporary

<Unit : mm>

Order Q'ty	REF	Product Description						Amount
		Description	Diameter	Length	G/H	Hex / N-Hex	Misc	
IMPRESSIONS (TRANSFER TYPE)								
	DTF4011HL	Dual Impression Coping [Transfer]	Ø4.0	11	Hex			
	DTF4011NL				N-Hex			
	DTF4015HL			15	Hex			
	DTF4015NL				N-Hex			
	DTF4511HL		Ø4.5	11	Hex			
	DTF4511NL				N-Hex			
	DTF4515HL			15	Hex			
	DTF4515NL				N-Hex			
	DTF5511HL		Ø5.5	11	Hex			
	DTF5511NL				N-Hex			
	DTF5515HL			15	Hex			
	DTF5515NL				N-Hex			
	DTF6511HL		Ø6.5	11	Hex			
	DTF6511NL				N-Hex			
	DTF6515HL			15	Hex			
	DTF6515NL				N-Hex			
	DTS11		Impression Coping Screw [Transfer]	17				
	DTS15			21				
IMPRESSIONS (SCREW ABUTMENTS)								
	SPU45BL	Screw Impression Coping [Pick-up]	Ø4.5					
	SPU45SL							
	SPU55BL		Ø5.5	Hex				
	SPU55SL			N-Hex				
	STF45BL	Screw Impression Coping [Transfer]	Ø4.5					
	STF45SL							
	STF55BL		Ø5.5	Hex				
	STF55SL			N-Hex				
	SPS09	Screw Impression Coping Screw [Pick-up]	15					
	STS09	Screw Impression Coping Screw [Transfer]	9					
ANALOGS								
	DAN34	Dual Analog [Ø3.4 and Ø3.6]		12				
	DAN38	Dual Analog [Ø3.8 to Ø7.0]		12				
	CAN45SL	Combi Analog Short	Ø4.5	16				
	CAN55SL		Ø5.5					
	CAN65SL		Ø6.5					
	CAN45LL	Combi Analog Long	Ø4.5	17.5				
	CAN55LL		Ø5.5					
	CAN65LL		Ø6.5					
	SAN45L	Screw Analog	Ø4.5					
	SAN55L		Ø5.5					
	BANL	Ball Analog						
PROSTHETICS SCREWS								
	ASC2045	Abutment Screw						
	SRS18T	Ti-Retaining Screw						
SURGICAL KIT								
	UXIF	Surgical Kit Complete						
	XLD2229	Lindermann Guide Drill	Ø1.7-Ø2.2	29				
	XLD2235	Lindermann Guide Drill w/ Stop	Ø1.7-Ø2.2	35				
	XLD2629	Lindermann First Drill	Ø2.35-Ø2.6	29				
	XLD2635	Lindermann Guide Drill w/ Stop	Ø2.35-Ø2.6	35				
	XFD3429	Final Drill	Ø2.85	29				
	XFD3829		Ø3.3					
	XFD4329		Ø3.85					
	XFD4829		Ø4.4					
	XFD5831	Final Drill w/ Stopper	Ø5.4	31				
	XFD3435		Ø2.85					
	XFD3835		Ø3.3					
	XFD4335		Ø3.85					
	XFD4835	Final Drill w/ Stopper	Ø4.4	35				
	XCS3629SW		Ø3.6		28			
	XCS4029SW		Ø4.0					
	XCS4529SW		Ø4.5					
	XCS5029SW	Ø5.0						
	XCS6029SW	Countersink Drill	Ø6.0	27				
	XCS7029SW		Ø7.0					
	XPP162220T	Parallel Pin (for Lindemann)		20				
	XID27H	Handpiece Adapter		27				
	XID32H			32				
	XID26W	Ratchet Adapter		26				
	XID29W			29				
	XID32W			32				
	XPP162220T	Parallel Pin		20				
	XPP162226T			26				
	XMFP2	M.F Path Pin Short		18.6				
	XHD25H	Hex Driver [H/P]	Ø1.28	25				
	XHD25W	Hex Driver [R]	Ø1.28	25				
	XHD26T	Hex Driver-Manual w/ wheel	Ø1.28	26				
	XHD30T			30				
	SDA17R	Slot Driver [R]		17				
	SDA25R	Slot Driver [R]		25				
	XDE	Drill Extension		25				
	XMAA1	S/B Driver [H/P]		20				
	XMA21W	S/B Driver [R]		21				
	IPST21W	Mini Ball Driver [R]		21				
	XHDHT	Driver-Manual	Ø12					
	XTS40	Tissue Punch	Ø4.0					
	XRCA1	Ratchet						
	XDGL	Depth Gauge						

Order Q'ty	REF	Product Description						Amount
		Description	Diameter	Length	G/H	Hex / N-Hex	Misc	
	XDE	Drill Extension		25				
	XRCA1	Ratchet						
	XDGL	Depth Gauge						
	XMFP2	Path Pin		18.6				
SURGICAL INSTRUMENTS								
	XGD1520	Guide Drill	Ø1.5	20				
	XGD1528			28				
	XFD2029	First Drill	Ø2.0	29				
	XFD2033			33				
	XLD2229	Lindermann Guide Drill	Ø1.7-Ø2.2	29				
	XLD2231			31				
	XLD2233			33				
	XLD2235			35				
	XLD2241	Lindermann Guide Drill w/	Ø1.7-Ø2.2	41				
	XLD2629			29				
	XLD2631	Lindemann First Drill	Ø2.35-Ø2.6	31				
	XLD2633			33				
	XLD2635	Lindermann First Drill w/ S	Ø2.35-Ø2.6	35				
	XLD2641			41				
	XPD2030	Pilot Drill	Ø1.9-Ø3.0	30				
	XFD3429	Final Drill	Ø2.85	29				
	XFD3829		Ø3.3					
	XFD4329		Ø3.85					
	XFD4829		Ø4.4					
	XFD5829SW		Ø5.4	31				
	XFD3431		Ø2.85					
	XFD3831		Ø3.3					
	XFD4331		Ø3.85					
	XFD4831		Ø4.4	33				
	XFD5831		Ø5.4					
	XFD3433		Ø2.85					
	XFD3833		Ø3.3					
	XFD4333		Ø3.85	41				
	XFD4833		Ø4.4					
	XFD3441		Ø2.85					
	XFD3841		Ø3.3					
	XFD4341		Ø3.85	35				
	XFD4841		Ø4.4					
	XFD3435	Ø2.85						
	XFD3835	Ø3.3						
	XFD4335	Ø3.85	28					
	XFD4835	Ø4.4						
	XCS3629SW	Ø3.6						
	XCS4029SW	Ø4.0						
	XCS4529SW	Countersink Drill	Ø4.5	27				
	XCS5029SW		Ø5.0					
	XCS6029SW	Ø6.0						
	XCS7029SW	Ø7.0						
	XID27H	Handpiece Adapter		27				
	XID30H			30				
	XID32H	Ratchet Adapter		32				
	XID24W			24				
	XID26W			26				
	XID29W	Parallel Pin		29				
	XID32W			32				
	XPP162220T	Parallel Pin		20				
	XPP162226T			26				
	XMFP2	M.F Path Pin Short		18.6				
	XHD25H	Hex Driver [H/P]	Ø1.28	25				
	XHD25W	Hex Driver [R]	Ø1.28	25				
	XHD26T	Hex Driver-Manual w/ wheel	Ø1.28	26				
	XHD30T			30				
	SDA17R	Slot Driver [R]		17				
	SDA25R	Slot Driver [R]		25				
	XDE	Drill Extension		25				
	XMAA1	S/B Driver [H/P]		20				
	XMA21W	S/B Driver [R]		21				
	IPST21W	Mini Ball Driver [R]		21				
	XHDHT	Driver-Manual	Ø12					
	XTS40	Tissue Punch	Ø4.0					
	XRCA1	Ratchet						
	XDGL	Depth Gauge						

* Legend --- H/P : Handpiece, R:Ratchet, w/ : with, w/o : without

<Unit : mm>

Order Q'ty	REF	Product Description						Amount
		Description	Diameter	Length	G/H	Hex / N-Hex	Misc	
PROSTHETICS KIT								
	XIP	Prosthetic Kit Complete						
	XHD15	Hex Driver Manual w/o wheel	Hex Ø1.28	15				
	XHD30T	Hex Driver Manual w/ wheel	Hex Ø1.28	28				
	SDA25R	Slot Driver [R]		25				
	XMAA1	S/B Driver [H/P]		20				
	XHD25W	Hex Driver [R]	Hex Ø1.28	25				
	XMA21W	S/B Driver [R]		21				
	IPST21W	Mini Ball Driver [R]		21				
	XTNW	Torque Wrench						
	XTW	Torque Wrench						
	XIPB	Prosthetic Kit Empty						
PROSTHETICS INSTRUMENTS								
	XHD13	Hex Driver Manual w/o wheel	Hex Ø1.28	13				
	XHD15			15				
	XHD21			21				
	XHD28			28				
	CRG45L	Reamer Guide for Combi/Dual Abutment		Ø4.5				
	CRG55L			Ø5.5				
	CRG65L			Ø6.5				
	SRGBL	Reamer Guide						
	SRGSL	Reamer Guide for Screw Abutment Guides						
	CRH	Reamer Handle						
	XHW	Hand Wrench						
	CRM	Reamer for Combi/Dual Abutment						
	SRM	Reamer for Screw Abutment						
DRILL STOPPER KIT								
	XDS	Drill Stopper Kit Complete						
	XLD2235	Lindermann Guide Drill w/ Stop	Ø1.7-Ø2.2 Ø2.35-Ø2.6	35				
	XLD2635							
	XFD3435	Final Drill w/ Stopper		35	Ø2.85			
	XFD3835				Ø3.3			
	XFD4335				Ø3.85			
	XFD4835				Ø4.4			
	XLDST14	Stopper for Lindermann Drill	Ø4.45		4.6			
	XLDST12				6.6			
	XLDST10				8.6			
	XLDST08				10.6			
	XLDST06				12.6			
	XFDST14	Stopper for Final Drill [Ø3.4 and Ø3.8]	Ø5.14		4.6			
	XFDST12				6.6			
	XFDST10				8.6			
	XFDST08				10.6			
	XFDST06				12.6			
	XFDST14L	Stopper for Final Drill [Ø4.3 and Ø4.8]	Ø6.14		4.6			
	XFDST12L				6.6			
	XFDST10L				8.6			
	XFDST08L				10.6			
	XFDST06L				12.6			
HELP KIT								
	XIH	Help Kit Complete						
	XRF S2 S	Screw Remover		25				
	XRF S2		33					
	XRHR20	Abutment Hex Remover		20				
	XRHR25		25					
	XRSTR	Screw Tap Repair - Tap		25				
	XRSG11	Screw Tap Repair [11' guide]						
	XRSG8	Screw Tap Repair [8' guide]						
	XRFRT	Fixture Remover		25				
	XRFRTF							
	XRFRTO							
	XRFRW	Fixture Remover Wrench						
	XRRHD	Cover & AB Screw Remover		25				

Order Q'ty	REF	Product Description						Amount
		Description	Diameter	Length	G/H	Hex / N-Hex	Misc	
TREPINE KITS								
	XIT	Trepine Kit Complete						
	XTP2403	Trepine Bur			Out Ø3.0 In Ø2.3			
	XTP3404		Out Ø4.0 In Ø3.3					
	XTP4405		Out Ø5.0 In Ø4.2					
	XTP5406		Out Ø6.0 In Ø5.2					
	XTP6407		Out Ø7.0 In Ø6.1					
	XTP7408		Out Ø8.0 In Ø7.1					
	XTP8409		Out Ø9.0 In Ø8.0					
	XTP9410	Out Ø10.0 In Ø9.0						
	XITB	Trepine Kit Empty						
OSTEOTOME KITS								
	XOFK	Osteotome Kit Complete						
	XOF20A1	Osteotome			Ø1.7-Ø2.8			
	XOF34A1		Ø2.3-Ø2.8					
	XOF38A1		Ø2.7-Ø3.2					
	XOF43A1		Ø2.8-Ø3.8					
	XOF48A1		Ø3.0-Ø4.3					
DASK								
	DASK	Dentium Advanced Sinus Kit						
	XRT3320353PK	DASK Drill #1	Ø3.3	35			3pk	
	XRT3720353PK	DASK Drill #2	Ø3.7				3pk	
	XED3310353PK	DASK Drill #3	Ø3.3				3pk	
	XRT0640253PK	DASK Drill #4	Ø6.0	25			3pk	
	XRT0840253PK	DASK Drill #5	Ø8.0				3pk	
	XST0830253PK	DASK Drill #6	Ø6.6-Ø8.0				3pk	
	XSE1L2PK	DASK Sinus Elevation Ins					2pk	
	XSE2L2PK						2pk	
	XSE3L2PK						2pk	
	XSE4L2PK						2pk	
	XFDST02	DASK Drill Stopper	Ø5.14			16.6		
	XFDST04				14.6			
	XFDST06				12.6			
	XFDST08				10.6			
SDK								
	SDK	Sinus Drill Kit Complete						
SINUS KITS								
	XSKL	Sinus Kit Complete [Instrument]						
BONE GRAFTING								
Osteon™ Vials								
	GBG0305-02	Vol 0.25 CC	Particle 0.3-0.5 (Vial)					
	GBG0305-05	Vol 0.50 CC	Particle 0.3-0.5 (Vial)					
	GBG0305-10	Vol 1.00 CC	Particle 0.3-0.5 (Vial)					
	GBG0510-02	Vol 0.25 CC	Particle 0.5-1.0 (Vial)					
	GBG0510-05	Vol 0.50 CC	Particle 0.5-1.0 (Vial)					
	GBG0510-10	Vol 1.00 CC	Particle 0.5-1.0 (Vial)					
	GBG0510-20	Vol 2.00 CC	Particle 0.5-1.0 (Vial)					
	GBG1020-02	Vol 0.25 CC	Particle 1.0-2.0 (Vial)					
	GBG1020-05	Vol 0.50 CC	Particle 1.0-2.0 (Vial)					
	GBG1020-10	Vol 1.00 CC	Particle 1.0-2.0 (Vial)					
	GBG1020-20	Vol 2.00 CC	Particle 1.0-2.0 (Vial)					
Osteon™ Sinus								
	GBG0510S-05	Vol 0.50 CC	Particle 0.5-1.0 (Sinus)					
	GBG1020S-05	Vol 0.50 CC	Particle 1.0-2.0 (Sinus)					
Osteon™ Lifting								
	GBG0305S-02	Vol 0.25 CC	Particle 0.3-0.5 (Lifting)					
	GBG0510S-02	Vol 0.25 CC	Particle 0.5-1.0 (Lifting)					
MOTOR & HANDPIECE								
	AEU-7000-70V	Aseptic Implant Motor (AEU-7000) + Hand Piece (AHP-85MB-C)						
	AEU-6000-70V	Aseptic Implant Motor (AEU-6000) + Hand Piece (AHP-85MB-C)						
	AHP-85MB-C	Contra Angle Handpiece push button						
X-RAY GUIDE								
	PN2401	X-Ray IMPLANTIUM® Template						
	PN2402	X-Ray SuperLine™ Template						
PATIENT EDUCATION								
	YDM1	Educational Model [IMPLANTIUM - Anterior]						
	YDM3	Educational Model [IMPLANTIUM - Posterior]						
	SWYDM1	Educational Model [SuperLine - Anterior]						
	SWYDM3	Educational Model [SuperLine - Posterior]						
	PN2403	Patient Brochure						
	A999900330	Dentiform						